

EAZ-TFT.3 CAN

THE NEW DIMENSION

Technology in the smallest space





TFT floor display from NEW LIFT

SMALL, COMPACT SMART



The EAZ-TFT.3 CAN combines all the desired functions of an outside panel. The interfaces for landing calls, indicators, key switches, acoustic messages and external arrows are located on one module.


The EAZ-TFT.3 CAN offers room for your display elements on a display area of only 74.7 x 49 mm and that with the smallest installation space. The high-resolution, high-contrast color display visually enhances your elevator systems.

MAIN FEATURES

- Space-saving
- High-resolution
- 3.5" color display
- 8 freely programmable inputs and outputs
- Horizontal or vertical installation position
- Can be used as an exterior or cabin status display
- Gong & acoustic acknowledgment on board
- Gong volume control via potentiometer on board
- Design can be customized


TECHNICAL SPECIFICATIONS

Dimensions (L x W x H)	113 x 60 x 23 mm
Display area (W x H)	74.7 x 49 mm
Resolution	320 x 450 pixels / 65,000 colors
Supply voltage	12-24VDC
Power consumption	20-100 mA at 12VDC
Output current	50 mA max
Bus speed	125 / 250 kbps
Bus termination	120 ohms (jumper)



SPECIAL DISPLAYS / FUNCTIONALITY

- In addition to floor position and direction of travel, relevant events are automatically displayed as text or graphics. Preprogrammed events include overload, maintenance, fire, special trip, out of service, evacuation and fire brigade trip.
- Implementation of external departure arrows, key switches or buttons possible.
Configurable internal memory (via SD card)



📍 **NEW LIFT** Neue Elektronische Wege
Steuerungsbau GmbH
Lochhamer Schlag 8
DE 82166 Gräfelfing

☎ +49 (0) 89 898 66 0
📠 +49 (0) 89 898 66 300
✉ info@newlift.de
🌐 www.newlift.de

📍 **NEW LIFT**
Service Center GmbH
Ruwerstraße 16
DE 54427 Kell am See

☎ +49 (0) 6589 919 540
📠 +49 (0) 6589 919 540 300
✉ info@newlift-sc.de
🌐 www.newlift.de

